



GROUND FLOOR LEVEL

LEGEND

- REMOVE WATER STAINED AND/OR GROWTH IMPACTED CEILING TILES USING A POLY DROP CLOTH.
REMOVE WATER STAINED AND/OR GROWTH IMPACTED FIBERGLASS PIPE INSULATION WITHIN ONE LAYER NEGATIVE PRESSURE CONTAINMENT
CLEAN AND DISINFECT SURFACES AND/OR SPACES.
- 1 CLEAN OUT DRAINS (SNAKE, CAMERA, ETC.)
- REMOVE CARPETING AND EDGING UTILIZING CRITICAL BARRIERS AND NEGATIVE PRESSURE
PROVIDE ACCESS HATCH IN DRYWALL AT STAGE FOR ASSESSMENT OF UNDER STAGE AREA
REMOVE WATER STAINED PLASTER CEILING WITHIN ONE LAYER NEGATIVE PRESSURE CONTAINMENT
- REMOVE ASBESTOS FLOOR TILE AND ASBESTOS CONTAMINATED CARPETING FOR DISPOSAL AS NON-FRIABLE ASBESTOS WASTE WITHIN A FULL CONTAINMENT WITH CONTIGUOUS DECONTAMINATION UNIT.
REMOVE WATER STAINED AND/OR GROWTH IMPACTED CEILING TILES USING A POLY DROP CLOTH.
REMOVE WATER STAINED AND/OR GROWTH IMPACTED FIBERGLASS PIPE INSULATION WITHIN ONE-LAYER NEGATIVE PRESSURE CONTAINMENT

KT Murphy Elementary School

City of Stamford

Stamford, CT

MARK	DATE	DESCRIPTION
PROJECT NO:	S2087	
DATE:	1/16/2019	
FILE:	KT Murphy.dwg	
DRAWN BY:	WAC	
CHECKED:	XX	
APPROVED:	XX	

Auditorium Areas
Scope of Work

SCALE: NTS

Figure 3.2

Plot Date: 1/16/2019 1:45pm By: wachampagne
 Plotted On: Jan 16, 2019 1:45pm
 Tighe & Bond: J:\S\S2087-Stamford\Drawings\CAD\KT Murphy.dwg