



UTILITY TEST PIT DATA							
TELECOMMUNICATIONS (AT&T - FRONTIER)							
TEST PIT #	BASELINE		NORTHING	EASTING	GROUND ELEVATION (FT)	TOP OF PIPE/UTILITY ELEVATION (FT)	UTILITY DESCRIPTION
	STATION	OFFSET					
T-1	STA 1+79.59	10.25 LT	578044.31	782132.87	10.02	8.04	CONDUIT ENCLOSED IN CONCRETE DUCT BANK; 24" DEEP, 36" WIDE
T-2	STA 2+77.29	17.86 LT	578039.60	782050.08	11.07	8.76	1x1 6" PVC CONDUITS CONDUITS NOT ENCLOSED IN CONC.
ELECTRIC (CL & P - EVERSOURCE ELECTRIC)							
TEST PIT #	BASELINE		NORTHING	EASTING	GROUND ELEVATION (FT)	TOP OF PIPE/UTILITY ELEVATION (FT)	UTILITY DESCRIPTION
	STATION	OFFSET					
E-1	STA 2+60.12	2.53 LT	578075.99	782061.82	11.16	9.65 (GAS) 8.66 (ELEC)	GAS: 6" BLACK PVC PIPE ELEC: PVC PIPE(S) UNDERNEATH CONCRETE SLAB/COVER
E-2	STA 3+10.84	0.26 RT	578082.33	782011.55	11.89	10.35 (TOP OF CONC. COVER)	PVC PIPE(S) UNDERNEATH CONCRETE SLAB/COVER
E-3	STA 3+54.15	12.04 RT	578096.23	781968.30	12.82	N/A	NO UTILITY FOUND AT TEST PIT LOCATION

THIS UTILITY INFORMATION IS BASED ON LIMITED FIELD INVESTIGATIONS AND IS PRESENTED FOR INFORMATION PURPOSES ONLY. IN SOME CASES THE FACILITY WAS NOT COMPLETELY EXPOSED TO POSITIVELY VERIFY ITS SIZE OF MATERIAL TYPE. THE CONTRACTOR IS STILL REQUIRED TO COORDINATE ITS CONSTRUCTION ACTIVITIES SO THAT THE UTILITIES ARE PROTECTED AT ALL TIMES.

ADDENDUM NO. 01

DESIGNER/DRAFTER: WRV/SBM	CHECKED BY: M. VERTUCCI	SCALE IN FEET 0 20 40 SCALE 1"=20'
STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION		FILENAME: J:\DWG\98203\A20\Civil\Plan\1998203A20_DRA01.dwg
A01 5/22/17	ADDED TEST PIT INFORMATION	SHEET NO. 1
REV. DATE	REVISION DESCRIPTION	Plotted Date: 5/22/2017

DESIGNER/DRAFTER:
WRV/SBM

CHECKED BY:
M. VERTUCCI

SCALE IN FEET
0 20 40
SCALE 1"=20'

STATE OF CONNECTICUT
DEPARTMENT OF TRANSPORTATION

FILENAME: J:\DWG\98203\A20\Civil\Plan\1998203A20_DRA01.dwg

SIGNATURE/BLOCK:

PROJECT TITLE:
**ATLANTIC ST./HENRY ST.
INTERSECTION IMPROVEMENTS**

TOWN:
STAMFORD

DRAWING TITLE:
**DRAINAGE AND UTILITY
PLAN**

PROJECT NO.
135-320

DRAWING NO.
DRA-01

SHEET NO.
03.10.A01