

**Subject:** Acknowledgement of Submission to CTDPH

**Date:** Tuesday, October 8, 2024 at 8:44:47 AM Eastern Daylight Time

**From:** Microsoft Power Apps and Power Automate

**To:** Andre Maier

This email is being sent automatically to confirm the submission of a project notification form to the Connecticut Department of Public Health pursuant to Connecticut General Statutes Section 8-3i and/or 22a-42f.

A project notification form is required to be completed and submitted to the Department of Public Health when an application, petition, request or plan is located in a Drinking Water Source Watershed or Aquifer Protection Area.

Thank you for your submission. If you have any questions, please send an email to [dph.sourceprotection@ct.gov](mailto:dph.sourceprotection@ct.gov).

Please enter the docket number/application ID for this application, petition, request or plan, if applicable:  
ZP-24-86

What municipal entity is this application, petition, request or plan being submitted to?["Inland Wetlands Commission", "Planning and Zoning Commission"]

Is the location associated with the proposed application, petition, request or plan in a drinking water watershed?Yes

Is the location associated with the proposed application, petition, request or plan in an Aquifer Protection Area?  
build a 6 foot tall fence, 72feet length along the property lines between our driveways.

Does this application include a petition or proposal to change the regulations, boundaries or classifications of zoning districts?No

Please enter a brief description of the project or proposal:  
build a 6 foot tall fence, 72feet length along the property lines between our driveways.

Please enter the date of the application, petition, request or plan:  
2024-10-08

What is the size of the area to be disturbed?  
less than 5 acres

Is any part of this project located within 50 feet of a wetland, stream, pond, lake or reservoir?Yes

What type of use is this application, petition, request or plan proposing? Residential

How will this project be provided a potable water supply? Onsite Well

How will domestic waste be handled?

Onsite septic system (existing)

If the proposed project is 1) not located on single family residential property and 2) will utilize a new well for drinking water supply, a Public Water Supply (PWS) Screening Application should be submitted to the Department of Public Health. Was a PWS Screening Application submitted?

This proposal does not include the development of an onsite water source and/or is a single family residence

Applicant Name:

andre maier

Applicant email address:

[andre@andremaier.com](mailto:andre@andremaier.com)

Street address or intersection of application, petition, request or plan:

293 rocky rapids road, stamford ct 06903

Enter Project Longitude/Latitude:

41.12641933045156

-73.59437277300765

Is there any other information relevant to the Department's review of this application, petition, request or plan? If so, please enter in the space below:

simply building a privacy fence between our properties.

If you would like a confirmation of this submission to be sent to the town, please enter the email address you would like it to be sent to in the field below:

If you want to unsubscribe from these emails, please use this [form](#).